TRENCO®
Flooring is an art
STARONE
STEEL GREY ST02

“Our goal is to set the gold standard when it comes to compliance.”

- Cathy Engelbert

“Blue is
therefore the
most suitable color
of interior life.”

-William H.Gass

STARONE



STEEL GREY ST02

GOLD BROWN ST03



NIGHT BLUE ST05

SPECIFICATIONS

STYLE NAME:	**STARONE**
CONSTRUCTION:	Multi Level loop
YARN:	Solution Dyed BCF
COMPONENT:	100% BCF Synthetic Fiber
GAUGE PER INCH:	1/12"
PILE HEIGHT:	4mm (+/- 0.5mm)
TOTAL THICKNESS:	6mm (+/- 0.5mm)
PILE WEIGHT:	16 oz/yd^2
TOTAL WEIGHT:	4300g/m^2 (+/- 100g/m^2)
TILE BACKING:	PVC
TILE SIZE:	50cm x 50cm
PACKING:	20 PCS

RECOMMENDED INSTALLATION METHOD:



QUARTER-TURN

PERFORMANCE

ELECTROSTATIC PROPENSITY:	Less than 2.0 kv at 20% R.H. 70 deg F (AATCC 134 1996)
FLAMMABILITY:	8 passed 8 (ASTM D 2859 96 Pill Test)
RADIANT PANEL TEST:	ASTM E 648-04
COLORFASTNESS TO LIGHT:	≥ 5 (AATCC 165)
COLORFASTNESS TO CROCKING:	≥ 5 (AATCC 16E)
ACCELERATED SOILING:	5 (ASTM D 6540)
TUFT BIND:	8.8 lbs (ASTM D 1335)
AACHEN DIMENSIONAL STABILITY:	ITTS 004
ROLL CHAIR TESTING:	ITTS 205

*** AS IN ALL QUALITY CARPETS, COLOURS ARE SUBJECT TO DYELOT VARIATIONS.**

The product images shown are illustration purpose only and may not be an exact representation of the product.

GB/T 19001-2000 idt ISO9001:2000
GB/T 19001-2004 idt ISO14001:2004

039-025-2280
Environmentally Preferred Carpet