





THE INTERLACE
LUXURY STYLE

THE INTERLACE LUXURY STYLE ONE INSPIRATION




Our carpet design is inspired
by the definition of interlace-
merge, twist, join, mix, alternate,
interweave and knit



Art in its broadest sense,
is a form of communication.
Besides expressing feelings, thoughts and
observations.
Artist also articulate them with the

A BEAUTY,
NO ONE CAN COMPREHEND

DESIGN INSPIRATION,
The abstract arrangement
of lines, structures, proportions
and forms epitomise thoughts



Art Director Paul Rand once said

“It is only by association with a product, a service, a business or a corporation that a design takes on any real meaning. It derives its meaning and usefulness from the quality of that which it symbolizes”.



ITD1 + ITD3

**An immense
experience
like
never
before**



IT01 + IT04



Luxury is a state of
great comfort and




PROMOTING A HIGHER
STANDARD OF
LIVING




IT03 + IT04




THE INTERLACE - Luxury Style



STYLE MELODY IT01



STYLE CRYSTAL IT03




STYLE FLORA IT04

SPECIFICATIONS

STYLE NAME:	THE INTERLACE- Luxury Style
CONSTRUCTION:	Multi-color Jacquard Tiles
YARN:	100% Universal Nylon
DYED METHOD:	100% Solution Dyed
GAUGE:	1/10"
PILE HEIGHT:	4mm - 5mm (+/-0.5mm)
TOTAL THICKNESS:	9mm (+/- 0.5mm)
PILE WEIGHT	29 oz/yd ²
BACKING:	PVC with Glass Fiber
PRIMARY BACKING CLOTH:	Non-woven Polyester Spunbonded
YARN TREATMENTS:	3M Scotchgard Permanently Anti Static
ANTI-SOIL & OIL TREATMENT:	3M Scotchgard
TILE SIZE:	50cm x 50cm
PACKING:	16 PCS
RADIANT PANEL:	Passes (ASTM E 648) Class 1
SMOKE DENSITY:	Passes (ASTM E 662) less than 450
STATIC PROPENSITY:	Passes (AATCC-134) less than 3.5 kv
SINGAPORE GREEN LABEL:	039-025-2280
WARRANTY:	10-Year Carpet Wear Warranty

RECOMMENDED INSTALLATION METHODS:



AS IN ALL QUALITY CARPETS, COLOURS ARE SUBJECT TO DYELOT VARIATIONS.

The product images shown are for illustration purpose only and may not be an exact representation of the product.



IT04

