TRENCO®
Flooring is an art
TRAPE CITY
TC01 + 02 + 03 + 07

“Color is the place where
our brain and the universe meet.”

-Paul Klee



“Keep a
green tree
in your heart
and perhaps
the singing bird
will come.”

- Lois Lowry

TC01+02 +03 +04+05+06

TC06

“You do not
think your
way to
creative work.
You work
your way
to creative thinking.”

- George Nelson

TC04 + 05 + 06

TC06 + 09

TC04 + 05 + 06 + 07 + 08

LIGHT BROWN TC01

MID BROWN TC02

DARK BROWN TC03

TRAPE CITY

LIGHT GREY TC04

MID GREY TC05

DARK GREY TC06

ANTIQUE GOLD TC07

LIME GREEN TC08

CHERRY RED TC09

SPECIFICATIONS:

STYLE NAME:	**TRAPE CITY**
CONSTRUCTION:	Multi-Level loop pile
YARN:	100% Universal Nylon
DYED METHOD:	100% Solution Dyed
GAUGE:	5/64
PILE HEIGHT:	2.5mm - 5.5mm (+/-0.5mm)
TOTAL THICKNESS:	6mm (+/-0.5mm)
PILE WEIGHT:	19 oz/yd^2
TILE BACKING:	PVC with Glass Fiber
PACKING:	12 PCS, 0.175sm/PC
WARRANTIES:	10-Years Carpet Wear Warranty

PERFORMANCE

ELECTROSTATIC PROPENSITY:	Less than 2.0 kv at 20% R.H. 70 deg F (AATCC 134 1996)
FLAMMABILITY:	ASTM D 2859 Pill Test
RADIANT PANEL	ASTME 648 (Class I)
COLORFASTNESS TO LIGHT:	≥ 5 (AATCC 16E)
COLORFASTNESS TO CROCKING :	≥ 5 (AATCC 165)
ACCELERATED SOILING:	5 (ASTM D 6540)
CRI GREEN LABEL PLUS:	GLPI721
TUFT BIND:	12.8 lbs (ASTM D 1335)
AACHEN DIMENSIONAL STABILITY:	ITTS 004

RECOMMENDED INSTALLATION METHODS:





Isosceles Trapezium
a:36.6cm b:73.2cm h:31.7cm
1PC=0.175sqm

AS IN ALL QUALITY CARPETS, COLOURS ARE SUBJECT TO DYELOT VARIATIONS.

The product images shown are illustration purpose only and may not be an exact representation of the product.

GB/T 19001-2000 idt ISO9001:2000
GB/T 19001-2004 idt ISO14001:2004

MEMBER

GREENGUARD

CRI

039-025-2280
Environmentally Preferred Carpet