

RAINBOW SQUARE





COLORFUL NIGHT RS14



“If everyone would look for that uniqueness then we would have a very colorful world”.

-Michael Schenker

INFINITY



RS09+RS10



RS09 + RS10






COLOR YOUR DREAMS



“Life is like a Rainbow,
you need both rain and sun to
make its colors appear!”

- Robyn


RAINBOW SQUARE




**COLORFUL MORNING
RS10**

**COLORFUL NIGHT
RS14**

(MIX OF 4 ACCENT COLORS X 5PCS EACH)



MORNING GREY RS09
(20 PCS PER BOX)



NIGHT GREY RS13
(20 PCS PER BOX)

SPECIFICATIONS

STYLE NAME: **RAINBOW SQUARE**
CONSTRUCTION: Tip Shear
YARN: Solution Dyed PP
COMPONENT: 100% BCF Synthetic Fiber
GAUGE PER INCH: 5/64"
PILE HEIGHT: 2.5mm - 6 mm (+/- 0.5mm)
PILE WEIGHT: 650 g/m²
TOTAL WEIGHT: 4900g/m²
TILE BACKING: PVC with Glass Fiber
TILE SIZE: 50cm x 50cm
PACKING: 20 PCS


PERFORMANCE

ELECTROSTATIC PROPENSITY: AATCC 134 1996
FLAMMABILITY: ASTM D 2859 96 Pill Test
TUFT BIND: ASTM D 1335
AACHEN DIMENSIONAL STABILITY: ITTS 004
ACCELERATED SOILING: ASTM D 6540
COLORFASTNESS TO LIGHT: AATCC 16
ROLL CHAIR TESTING: ITTS 205

*** AS IN ALL QUALITY CARPETS, COLOURS ARE SUBJECT TO DYELOT VARIATIONS.**

The product images shown are illustration purpose only and may not be an exact representation of the product.

RECOMMENDED INSTALLATION METHOD:



QUARTER-TURN



GR/T 19001-2000 idt ISO9001:2000
GR/T 19001-2004 idt ISO14001:2004

